




TECHNICAL INFORMATION

ADHESION OF THE PROTECTION FILMS ON VARIOUS EMBOSSES OF RENOLIT EXOFOL SURFACES (RANKING)



The processability and the resulting real adhesion values of protection films depend on a wide variety of process and environmental parameters. Among other things, influences such as the processing temperature, the prevailing humidity, the storage of the film rolls, the process speed and the contact pressure of the pressure roll play an overriding role in the laminating process. As a result, manufacturers of protection films **urgently point out** that processability must be individually assessed by each user under the prevailing conditions.

The actual adhesion of protective films on **RENOLIT EXOFOL FX** and **PFX** foils is slightly reduced compared to **RENOLIT EXOFOL MX** and **PX** due to the lower surface tension of PVDF.

This technical information sheet represents our latest state of knowledge and shall inform without obligation. The herein stated details do not release the manufacturer using our products from their own inspections and tests, which must correspond with the relevant national guidelines for its intended purpose. It is the duty of the customer to determine if the purchased product is suitable for its intended purpose.

Stand: 11/2020

Decorative
surface finishes
for exterior
applications



MANUFACTURERS OF PROTECTION FILMS FOR RENOLIT EXOFOL MX, RENOLIT EXOFOL PX,
RENOLIT EXOFOL FX AND RENOLIT EXOFOL PFX

2Pack GmbH

Dieselstraße 30
33442 Herzebrock-Clarholz
Germany
Tel.: +49 (0) 5245 / 88 38 3
Fax: +49 (0) 5245 / 88 38 50
www.2pack.de

ISOSPORT Verbundbauteile GmbH

Industriestraße 2-8
7000 Eisenstadt
Austria
Tel.: +43 2682 / 703 - 0
Fax: +43 2682 / 703 - 4222
www.isosport.com

Bischof + Klein GmbH

Rahestraße 47
49525 Lengerich
Germany
Tel.: +49 (0) 5481 / 920 - 0
Fax: +49 (0) 5481 / 920 - 541
www.bk-international.com

L3A Srl.

Via Alberto da Guissano
34 20011 Corbetta (MI)
Italy
Tel.: +39 02 9012194
Fax: +39 02 90376588
www.l3a.it

Covertec Srl.

Strada prov.le Cellole/ Piedimonte km 3
81037 Sessa Aurunca (CE)
Italy
Tel.: +39 0823 / 680085
Tel: +39 0823 / 1501413
Fax: +39 0823 / 680078
www.covertec.eu

MBT PolyTapes GmbH

Erlenbusch 2
58739 Wickede/ Ruhr
Germany
Tel.: +49 (0) 23 77 / 78 72 - 0
Fax: +49 (0) 23 77 / 78 72 - 20
www.mbt-polytapes.de

Stand: 11/2020

Market Unit Exterior Solutions
exteriorsolutions@renolit.com
www.renolit.com/exteriorsolutions
www.renolit.com

RENOLIT SE
Horchheimer Str. 50
67547 Worms | Germany
Phone: +49.6241.303.1040
Fax: +49.6241.303.18.1139

RENOLIT Cramlington Limited
Station Road
Cramlington
Northumberland, NE23 8AQ | United Kingdom
Phone: +44.1670.718222
Fax: +44.1670.590096



Rely on it.

Decorative
surface finishes
for exterior
applications



Naster Srl.

Via Tonino da Lumezzane SNC
24057 Martinengo (BG)
Italy
Tel.: +39 0358 / 44009
Fax: +39 0358 / 44367
www.nastersrl.de

**POLIFILM PROTECTION DEUTSCHLAND GmbH
& Co. KG**

Handelsstraße 12
42929 Wermelskirchen
Germany
Tel.: +49 (0) 2267 / 697 4300
www.polifilm.de

Novacel GmbH

Normandiestraße 3
50259 Pulheim
Germany
Tel.: +49 (0) 2234 / 9874 - 0
Tel: +49 (0) 2234 / 9874 - 75
www.novacel.de

Protec Srl.

Via Serio 10
20090 OPERA (MI)
Italy
Tel.: +39 0257 / 607 174
Fax: +39 0257 / 607 183
www.protecfilm.de

This listing of manufacturers has no ranking and is without classification of quality. It is only intended to give a recommendation. There may also be other producers offering suitable products. This technical information sheet represents our latest state of knowledge and shall inform without obligation. The herein stated details do not release the manufacturer using our films from their own inspections and tests, which must correspond with the relevant national guidelines for its intended purpose. It is the duty of the customer to determine if the purchased product is suitable for its intended purpose.

The recipient of this information shall neither forward nor publish the content or parts of it to third parties without prior written consent of RENOLIT.

Stand: 11/2020

Market Unit Exterior Solutions
exteriorsolutions@renolit.com
www.renolit.com/exteriorsolutions
www.renolit.com

RENOLIT SE
Horchheimer Str. 50
67547 Worms | Germany
Phone: +49.6241.303.1040
Fax: +49.6241.303.18.1139

RENOLIT Cramlington Limited
Station Road
Cramlington
Northumberland, NE23 8AQ | United Kingdom
Phone: +44.1670.718222
Fax: +44.1670.590096



Rely on it.